




**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)



# Connection clamps and connection terminals

## Snow catching grate clamp



Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>264</b>	Rd 8-10	25	18.640	<b>5316 51 0</b>

- St** Steel **F** Hot-dip galvanised /100 pc.
- Plate thickness to 8 mm
  - With 4 hexagonal bolts M6 x 16




Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>264 CU</b>	Rd 8-10	25	21.140	<b>5316 55 3</b>

- Cu** Copper /100 pc.
- Plate thickness to 8 mm
  - With 4 hexagonal bolts M6 x 16



## Clamping shoe




Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>319 8</b>	Rd 8	25	7.800	<b>5325 30 7</b>
<b>319 10</b>	Rd 10	25	9.650	<b>5325 31 5</b>

- TG** Cast iron **F** Hot-dip galvanised /100 pc.
- With Ø 11 mm attaching hole
  - 2 hexagonal bolts M8 x 16
  - Bolts hot-dip galvanised steel and clamping element hot dipped galvanised cast steel





## Connection terminal, equipotential bonding, Rd 8–10 mm




Type	Fit	Dimension A	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>249 8-10 ST-OT</b>	Rd 8-10	40	100	3.240	<b>5311 50 3</b>

- St** Steel **FT** Hot-dip galvanised /100 pc.
- For round cable fastening RD 8-10
  - Suitable for M10 bolts





Type	Dimension A	Fit	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>249 8-10 ALU-OT</b>	44	Rd 8-10	100	2.100	<b>5311 58 5</b>

- Al** Aluminium /100 pc.
- For round conductor fastening Rd 8–10
  - Suitable for M10 bolts
- Application: Equipotential bonding on PV frames



Type	Fit	Dimension A	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>249 8-10 VA-OT</b>	Rd 8-10	40	100	3.130	<b>5311 55 4</b>

- V2A** Stainless steel, grade 304 /100 pc.
- For round cable Rd 8-10
  - Suitable for M10 bolts



Type	Fit	Dimension A	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>249 8-10 CU-OT</b>	Rd 8-10	40	100	3.580	<b>5311 53 0</b>

- Cu** Copper /100 pc.
- For round cable fastening RD 8-10
  - Suitable for M10 bolts





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
Snow-catching grate clamp , 8-10mm, Hot-dip galvanised, DIN 267, Teil 10, Steel, St	5316510	264	<a href="#">Buy on EAN</a>
Snow-catching grate clamp , 8-10mm, Copper, Cu	5316553	264 CU	<a href="#">Buy on EAN</a>
Clamping shoe , 8mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5325307	319 8	<a href="#">Buy on EAN</a>
Clamping shoe , 10mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5325315	319 10	<a href="#">Buy on EAN</a>