



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Module support and accessories for Modul 45connect®




Module support for Modul-45connect® devices, system length 165 mm

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
MT3 45	8	4.600	7429 15 0

PA Polyamide

/pc.

For the installation of up to 3 accessories of type Modul 45 in GES flush-mount units and cas-settes. With two strain reliefs. Installation instead of a GB2 mounting box. The module support is open in a downwards direction. Additional protective housings are required for socket installation.




Module support for Modul-45connect® devices, system length 208 mm

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
MT4 45	8	5.700	7429 15 4

PA Polyamide

/pc.

For the installation of up to 4 accessories of type Modul 45 in GES flush-mount units and cas-settes. With two strain reliefs. Installation instead of a GB3 mounting box. The module support is open in a downwards direction. Additional protective housings are required for socket installation.




Modul 45connect® socket 33°, protective contact, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
SKS-DS3 RW2	Pure white	10	8.240	6117 07 4
SKS-DS3 ROR2	Pure orange	10	8.240	6117 07 6
SKS-DS3 MZGN2	Mint green	10	8.240	6117 07 8
SKS-DS3 SRO2	Signal red	10	8.240	6117 08 0

PC Polycarbonate

/pc.

Power socket with side connection double 33°, with increased touch protection with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.




Modul 45connect® socket 33°, protective contact, triple

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
SKS-DS3 RW3	Pure white	4	11.960	6119 85 0
SKS-DS3 ROR3	Pure orange	4	11.960	6119 85 2
SKS-DS3 MZGN3	Mint green	4	11.960	6119 85 4
SKS-DS3 SRO3	Signal red	4	11.960	6119 85 6

PC Polycarbonate

/pc.

Power socket with side connection triple 33°, with increased touch protection with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.




Modul 45connect® connector part adapter

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
STA-SKS SU1 SW	Black	10	1.190	6117 19 6
STA-SKS SU1 W	White	10	1.190	6117 19 7

/pc.

Connector part adapter, U-shaped, for connection to an SKS-DS or SKS-FS socket from the side, for VL extension cable with Wieland connector GST 18i 3p.




Modul 45connect® connector

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
VB-SKS S	Black	10	0.590	6117 19 8

/pc.

Connection adapter for combining SKS-DS or SKS-FS sockets.

Note: Socket combinations with two connection adapters at most are permitted.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Socket double 33° oblique protect.contact,Modul45connect, 250V, 10/16A, Pure white, 9010, Polycarbonate, PC	6117074	SKS-DS3 RW2	Buy on EAN
Socket double 33° oblique protect.contact,Modul45connect, 250V, 10/16A, Pure orange, 2004, Polycarbonate, PC	6117076	SKS-DS3 ROR2	Buy on EAN
Socket double 33° oblique protect.contact,Modul45connect, 250V, 10/16A, Mint green, 6029, Polycarbonate, PC	6117078	SKS-DS3 MZGN2	Buy on EAN
Socket double 33° oblique protect.contact,Modul45connect, 250V, 10/16A, Signal red, 3001, Polycarbonate, PC	6117080	SKS-DS3 SRO2	Buy on EAN
Socket triple 33° oblique prot. contact, Modul 45connect, 250V, 10/16A, Pure white, 9010, Polycarbonate, PC	6119850	SKS-DS3 RW3	Buy on EAN
Socket triple 33° oblique prot. contact, Modul 45connect, 250V, 10/16A, Pure orange, 2004, Polycarbonate, PC	6119852	SKS-DS3 ROR3	Buy on EAN
Socket triple 33° oblique prot. contact, Modul 45connect, 250V, 10/16A, Mint green, 6029, Polycarbonate, PC	6119854	SKS-DS3 MZGN3	Buy on EAN
Socket triple 33° oblique prot. contact, Modul 45connect, 250V, 10/16A, Signal red, 3001, Polycarbonate, PC	6119856	SKS-DS3 SRO3	Buy on EAN