



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

# Energy distributor and connection cables



## UVS energy distributor with fixed connection, normal circuit

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
UVS-6S2	1	77.000	6108 00 0


St Steel /pc.

Energy distributor for heavy current technology with fixed connection, equipped and pre-wired.

Input: One 3-phase circuit via a screwless terminal block, 5-pin, for cable cross-sections of 0.5–4 mm².

Output: Six self-locking connectors, 3-pin, in black, 16 A, type GST18i (socket part: 2 x L1, 2 x L2, 2 x L3).

Internal wiring: PVC non-sheathed cable H07V-U2.5.



## UVS energy distributor with fixed connection, special circuit

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
UVS-6W2	1	77.000	6108 00 5


St Steel /pc.

Energy distributor for heavy current technology with fixed connection, equipped and pre-wired.

Input: One 3-phase circuit via a screwless terminal block, 5-pin, for cable cross-sections of 0.5–4 mm².

Output: Six self-locking connectors, 3-pin, in white, 16 A, type GST18i (socket part: 2 x L1, 2 x L2, 2 x L3).

Internal wiring: PVC non-sheathed cable H07V-U2.5.



## UVS energy distributor with fixed connection, normal and special circuit

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
UVS-6S6W2	1	146.100	6108 01 0


St Steel /pc.

Energy distributor for heavy current technology with fixed connection, equipped and pre-wired.

Input: Two 3-phase circuits via a screwless terminal block, 5-pin, for cable cross-sections of 0.5–4 mm².

Output: Twelve self-locking connectors, 3-pin, in white (6x) and black (6x), 16 A, type GST18i (socket part: 2 x L1, 2 x L2, 2 x L3 for each rotary current circuit).

Internal wiring: PVC non-sheathed cable H07V-U2.5.



## UVS energy distributor with plug connection, normal circuit

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
UVS-6S2SA	1	79.000	6108 01 2


St Steel /pc.

Energy distributor for heavy current technology with plug connection, equipped and pre-wired.

Input: One 3-phase circuit using a self-locking connector, 5 -pin, type GST18i (connector part).

Output: Six self-locking connectors, 3-pin, in black, 16 A, type GST18i (socket part: 2 x L1, 2 x L2, 2 x L3).

Internal wiring: PVC non-sheathed cable H07V-U2.5.



## UVS energy distributor with plug connection, special circuit

Type	Pack.	Weight	Item No.
	pcs	kg/100 pcs.	
UVS-6W2SA	1	79.000	6108 01 4


St Steel /pc.

Energy distributor for heavy current technology with plug connection, equipped and pre-wired.

Input: One 3-phase circuit using a self-locking connector, 5 -pin, type GST18i (connector part).

Output: Six self-locking connectors, 3-pin, in white, 16 A, type GST18i (socket part: 2 x L1, 2 x L2, 2 x L3).

Internal wiring: PVC non-sheathed cable H07V-U2.5.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Underfloor distributor , Steel, St	6108000	UVS-6S2	<a href="#">Buy on EAN</a>
Underfloor distributor , Steel, St	6108005	UVS-6W2	<a href="#">Buy on EAN</a>
Underfloor distributor , Steel, St	6108010	UVS-6S6W2	<a href="#">Buy on EAN</a>
Underfloor distributor with plug connection, 160x150x48, Steel, St	6108012	UVS-6S2SA	<a href="#">Buy on EAN</a>
Underfloor distributor with plug connection, 160x150x48, Steel, St	6108014	UVS-6W2SA	<a href="#">Buy on EAN</a>