



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>



G9SX-SM032-

Standstill monitoring unit

Safe standstill monitoring unit based on Back-EMF operation for two- and three-phase systems.

- · Ready to use covering all standard applications without additional setup
- · Easy integration in star- and delta wiring
- Clear LED diagnosis of all in- and output signals for easy maintenance
- Applicable up to PLe according to EN ISO 13849-1

Ordering information

Safety standstill monitoring unit

| Safety outputs *1 Instantaneous | Auxiliary outputs *1 | Power input Rated supply voltage | Terminal block type | Order code |
|---------------------------------|----------------------|-------------------------------------|-----------------------|---------------|
| 3 (Semi-conductors) 2 (S | 2 (Semi-conductors) | | Screw terminals | G9SX-SM032-RT |
| | | | Spring-cage terminals | G9SX-SM032-RC |

^{*1} PNP transistor output

Specifications

Ratings of standstill monitoring unit


Power input


| Rated supply voltage | 24 VDC | |
|---|--|--|
| Inputs | | |
| Item | G9SX-SM032 | |
| Input voltage | Standstill detection input (Z1-Z2/Z3-Z4) AC 415 Vrms + 10% max. | |
| Maximum power supply frequency for AC induction motor | 60 Hz max. | |
| Internal impedance | Standstill detection input: approx, 660 k Ω EDM input: approx. 2.8 k Ω | |

Outputs

| Item | G9SX-SM032 |
|------|--|
| | Sourcing output (PNP) Load current: 300 mA DC max. |
| | Sourcing output (PNP) Load current: 100 mA DC max. |

Application example





Standstill detected







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

| Product | Code | Reference | Product link |
|--|--------|----------------|--------------|
| Industrial relays, SPDT 10A Enchuf. LED Indic. Diode | 177322 | G2R-1-SND DC24 | Buy on EAN |