



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Conductor marker carrier - PATG HF 4/12 - 1014063

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Wire marker carrier, transparent/black, unmarked, mounting type: slid on, cable diameter: 5 - 10 mm, lettering field size: 4 x 12 mm

The figure shows version

Why buy this product

- The PATG HF... sleeve is a captive marker carrier
- The corresponding UCT-WMT... and UC-WMT... insert labels are used for marking
- Due to the plastic properties of the PATG HF..., high-quality fluid printing of the UC-WMT... with the BLUEMARK... is required
- These conductor marking systems consist of marker carriers and insert labels
- The use of high-quality plastics supports the most stringent demands of the rail industry and the automotive industry
- Comprehensive approvals ensure international use
- Can be used to mark conductors with a diameter of 0.6 ... 10 mm

Key Commercial Data

Packing unit	500 STK
Minimum order quantity	500 STK
GTIN	 4 046356 779500

Technical data

Dimensions

Width (a)	12 mm
Cable diameter	5 mm ... 10 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

General

Color	transparent/black
Components	free from silicone, halogen, and cadmium
Flammability rating according to UL 94	V0
Material	TPU
Marking mounting type	slide on

Standards and Regulations

Conductor marker carrier - PATG HF 4/12 - 1014063

Technical data

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Classifications

eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27149103
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27400401

ETIM

ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001530

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Wire marker carrier, transparent/black, unmarked, mounting type: slid on, cable diameter: 5 - 10 mm, lettering field size: 4 x 12 mm	1014063	PATG HF 4/12	Buy on EAN