



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

## Conversion kit - CF 1000-TOOLKIT 0,34/ 8 - 1208225

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Conversion kit for CF 1000-1.5 up to serial number 160591, for insulated ferrules according to DIN 46228-4: 1990-09, cross-sectional area: 0.25–0.34 mm<sup>2</sup>, AWG: 24-22, stripping length: 8 mm

### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 011372

### Technical data

Product type	Conversion kit
Approval	EAC

### Classifications

#### eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	17130101
eCl@ss 7.0	17130101
eCl@ss 8.0	21049090

#### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC001282

#### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518

# Conversion kit - CF 1000-TOOLKIT 0,34/ 8 - 1208225

## Classifications

### UNSPSC

UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details

EAC
-----

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Conversion kit for CF 1000-1.5 up to serial number 160591, for insulated ferrules according to DIN 46228-4: 1990-09, cross-sectional area: 0.25-0.34 mm <sup>2</sup> , AWG: 24-22, stripping length: 8 mm	1208225	CF 1000-TOOLKIT 0,34/8	<a href="#">Buy on EAN</a>