



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Conversion kit - CF 1000-10-TOOLKIT 4/10-12 - 1212458

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Conversion kit for CF 1000-10, for insulated ferrules according to DIN 46228-4: 1990-09, cross section range: 4 mm², stripping length: 10 - 12 mm

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 526906

Technical data

Product type	Conversion kit
Approval	EAC

Classifications

eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043706
eCl@ss 7.0	21043706
eCl@ss 8.0	21049090

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC001282

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410

Conversion kit - CF 1000-10-TOOLKIT 4/10-12 - 1212458

Classifications

UNSPSC

UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Conversion kit for CF 1000-10, for insulated ferrules according to DIN 46228-4: 1990-09, cross section range: 4 mm ² , stripping length: 10 - 12 mm	1212458	CF 1000-10-TOOLKIT 4/10-12	Buy on EAN