



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Screwdriver - SF-SLIC 1,6X10-175 - 1212555

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver, slot-headed, with impact cap, with hexagon wrench aid for open-end wrench and ring wrench, size: 1.6 x 10 x 175 mm, 2-component grip

The figure shows the SF-SLIC 1,2X7,0-1,25 version

Why buy this product

- The tools feature ergonomic two-component safety handles
- Large contact surface of blades inside screw head
- Individually tested safety screwdrivers according to DIN EN 60900 (VDE 0682-201)
- For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC

Key Commercial Data

| | |
|--------------|---|
| Packing unit | 10 STK |
| GTIN |  4 046356 589901 |

Technical data

Dimensions

| | |
|-----------------|--------|
| Length (b) | 287 mm |
| Width (a) | 40 mm |
| Blade thickness | 1.6 mm |
| Blade width | 10 mm |
| Blade height | 175 mm |

General

| | |
|---------------|--------------------|
| Type | Bladed |
| | Straight |
| Material | Alloyed tool steel |
| Test standard | DIN 5263 |

Standards and Regulations

| | |
|---------------|----------|
| Test standard | DIN 5263 |
|---------------|----------|

Screwdriver - SF-SLIC 1,6X10-175 - 1212555

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 21040401 |
| eCl@ss 4.1 | 21040401 |
| eCl@ss 5.0 | 21040401 |
| eCl@ss 5.1 | 21040401 |
| eCl@ss 6.0 | 21040401 |
| eCl@ss 7.0 | 21040409 |
| eCl@ss 8.0 | 21040407 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000158 |
| ETIM 5.0 | EC000158 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27112118 |
| UNSPSC 7.0901 | 27111518 |
| UNSPSC 11 | 23171604 |
| UNSPSC 12.01 | 27111518 |
| UNSPSC 13.2 | 27111518 |

Drawings

Pictogram



Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|---|-------------|-----------------------|----------------------------|
| Screwdriver, slot-headed, with impact cap, with hexagon wrench aid for open-end wrench and ring wrench, size: 1.6 x 10 x 175 mm, 2-component grip | 1212555 | SF-SLIC 1,6X10-175 | Buy on EAN |