



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

## Tool - SF-BIT-SLS 0,6X3,5-50 - 1212605

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screw bit, bladed, graded, E6.3-1/4" drive, for test socket screws, size: 0.6 x 3.5 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

The figure shows the SF-BIT-SLS 0,6x3,5 version

### Why buy this product

- Tools for SF-ASD 21 cordless screwdriver in various versions

### Key Commercial Data

Packing unit	5 STK
GTIN	 4 046356 590280

### Technical data

#### Dimensions

Blade thickness	0.6 mm
Blade width	3.5 mm
Blade height	50 mm

#### General

Color	silver
Type	Bladed
	Stepped blade
Material	Alloyed tool steel
Test standard	DIN 3126

#### Standards and Regulations

Test standard	DIN 3126
---------------	----------

### Classifications

#### eCl@ss

eCl@ss 4.0	21040402
eCl@ss 4.1	21040402

## Tool - SF-BIT-SLS 0,6X3,5-50 - 1212605

### Classifications

#### eCl@ss

eCl@ss 5.0	21040402
eCl@ss 5.1	21040402
eCl@ss 6.0	21040290
eCl@ss 7.0	21040290
eCl@ss 8.0	21044204

#### ETIM

ETIM 4.0	EC002115
ETIM 5.0	EC002116

#### UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Screw bit, bladed, graded, E6.3-1/4" drive, for test socket screws, size: 0.6 x 3.5 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173	1212605	SF-BIT-SLS 0,6X3,5-50	<a href="#">Buy on EAN</a>