



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE



Stripping tool - WIREFOX-E 4 - 1212704

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Stripping tool, for cables and conductors (especially for rubber and silicone insulations) from 0.1 - 4 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade

Product Description

Insertable stripping blades: 1212152 WIREFOX 10/SB, 1212153 WIREFOX 16/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212151 WIREFOX 4/SB

Why buy this product

- Flexible, adjustable limit stop for the stripping length
- Stripping tool with ergonomically shaped pliers.
- The stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters.
- Practical integrated wire cutter
- Flexible, adjustable limit stop for the stripping length
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters
- Practical integrated wire cutter

Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 783590

Technical data

Dimensions

Length (b)	191 mm
Width (a)	20 mm
Height	90 mm
Cable diameter	0.3 mm 2.4 mm

General

Color	Black/green



Stripping tool - WIREFOX-E 4 - 1212704

Classifications

eCl@ss

eCl@ss 4.0	21040302
eCl@ss 4.1	21040302
eCl@ss 5.0	21040302
eCl@ss 5.1	21040302
eCl@ss 6.0	21049090
eCl@ss 7.0	21049090
eCl@ss 8.0	21049090

ETIM

ETIM 3.0	EC000142
ETIM 4.0	EC000142
ETIM 5.0	EC000168

UNSPSC

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604
UNSPSC 12.01	23171604
UNSPSC 13.2	23171604

UNSPSC 13.2	23171604	
Approvals		
Approvals		
Approvals		
EAC		
Ex Approvals		
Approvals submitted		
Approval details		
FAC		



Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Stripping tool, for cables and conductors (especially for rubber and silicone insulations) from 0.1 - 4 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade	1212704	WIREFOX-E 4	Buy on EAN