



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE



# Crimping pliers - CRIMPFOX-SC 6 CUS - 1212780

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Crimping pliers, laser marked according to customer specifications, for uninsulated slip-on sleeves 2.8, 4.8, and 6.3 mm, 0.5 - 6 mm², B crimp

The figure shows CRIMPFOX 6 CUS

### Why buy this product

- Consistently high crimping quality
- Marked die stations for precise processing of corresponding cross sections
- Unlockable pressure lock





## **Key Commercial Data**

Packing unit	1 STK		
GTIN	4 046356 943079		

### Technical data

#### **Dimensions**

Length (b)	256 mm
Width (a)	25 mm
Height	68 mm

#### General

Color	black	
Compression	B crimp	
Type of contact	Slip-on sleeve	



# Crimping pliers - CRIMPFOX-SC 6 CUS - 1212780

## Classifications

## eCl@ss

eCl@ss 5.1	21040301
eCl@ss 6.0	27371301
eCl@ss 8.0	21049090

#### **ETIM**

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC001186

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
Crimping pliers, laser marked according to customer specifications, for uninsulated slip-on sleeves 2.8, 4.8, and 6.3 mm, 0.5 - 6 mm², B crimp	1212780	CRIMPFOX-SC 6 CUS	Buy on EAN