



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

# Cable gland - G-INTRO-M32-M68N-PEPDS-BK - 1415191

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide, Application: Standard, External cable diameter 13 mm ... 21 mm, Shielding: No, Connecting thread: M32, Color: jet black RAL 9005

The figure shows version G-INTRO-M25-S68N-PEPDS-BK

## Key Commercial Data

Packing unit	5 STK
GTIN	 4 055626 038193

## Technical data

### Dimensions

Length	57 mm
Length without connecting thread	45 mm
Connecting thread diameter	32 mm
Wrench size, union nut	36 mm
Wrench size, support	36 mm
Hexagon angular dimension GRP	40 mm
Length of the connecting thread	12 mm
External cable diameter	13 mm ... 21 mm
Clamping range of the strain relief clip	13.00 mm ... 21.00 mm

### Ambient conditions

Degree of protection	IP68 (5 bar / 0.5 h)
	IP69K
Ambient temperature (operation)	-40 °C ... 100 °C (dynamic)

### General

No. of conductors	1
Cable gland material	Polyamide
Seal material	EPDM
Shielded	No
Thread type on connection side	M32
Color	jet black RAL 9005

# Cable gland - G-INTRO-M32-M68N-PEPDS-BK - 1415191

## Technical data

### General

	jet black RAL 9005
--	--------------------

## Classifications

### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

### ETIM

ETIM 5.0	EC000441
----------	----------

## Approvals

### Approvals

---

### Approvals

UL Recognized / cUL Recognized / GOST-R / cULus Recognized

---

### Ex Approvals

---

### Approvals submitted

---

## Approval details

UL Recognized
---------------

cUL Recognized
----------------


GOST-R
--------

cULus Recognized
------------------

## Cable gland - G-INTRO-M32-M68N-PEPDS-BK - 1415191

### Drawings

Dimensional drawing



---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
Cable gland, Cable gland material: Polyamide, Application: Standard, External cable diameter 13 mm ... 21 mm, Shielding: No, Connecting thread: M32, Color: jet black RAL 9005	1415191	G-INTRO-M32- M68N-PEPDS-BK	<a href="#">Buy on EAN</a>