



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)


# Sealing cap - PROT-M12 MS-PA-CHAIN-EYE-DM14 - 1456200

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



M12 sealing cap with fixing band, for free M12 sockets with 14.5 mm fastening eye

## Key Commercial Data

|                        |  |
|------------------------|--|
| Packing unit           | 5 STK  |
| Minimum order quantity | 5 STK  |
| GTIN                   | <br>4 046356 605724 |

## Technical data

### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -25 °C ... 85 °C |
| Degree of protection            | IP67             |

### Material

|  |                    |
|--|--------------------|
| Flammability rating according to UL 94 | V0                 |
| Material                               | PA 66 GF           |
| Sealing material                       | NBR                |
| Additional material specifications     | PUR (Holding band) |

### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27250313 |
| eCl@ss 4.1 | 27250313 |
| eCl@ss 5.0 | 27143423 |
| eCl@ss 5.1 | 27149110 |
| eCl@ss 6.0 | 27149112 |
| eCl@ss 7.0 | 27149112 |
| eCl@ss 8.0 | 27379218 |

# Sealing cap - PROT-M12 MS-PA-CHAIN-EYE-DM14 - 1456200

## Classifications

### ETIM


|          |          |
|----------|----------|
| ETIM 3.0 | EC002040 |
| ETIM 4.0 | EC002040 |
| ETIM 5.0 | EC002040 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31251501 |
| UNSPSC 7.0901 | 31251501 |
| UNSPSC 11     | 31251501 |
| UNSPSC 12.01  | 31251501 |
| UNSPSC 13.2   | 31251501 |

## Drawings

Dimensional drawing



Dimensional drawing

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product   | Code    | Reference                     | Product link               |
|---|---------|-------------------------------|----------------------------|
| M12 sealing cap with fixing band, for free M12 sockets with 14.5 mm fastening eye | 1456200 | PROT-M12 MS-PA-CHAIN-EYE-DM14 | <a href="#">Buy on EAN</a> |