



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

Manual addressing device - ASI CC ADR - 2741338

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Manual addressing device, for AS-i modules



Product Description

In an AS-Interface system, each device (slave) has a unique communication address. The addresses can be assigned via the master or via an addressing device. This device facilitates starting up an AS-Interface system. It can be used to provide the bus devices with an address quickly and easily without a real bus configuration having to be present. In addition, the addressing device can be used to read out entire bus segments. It is able to test the function of the inputs and outputs of slaves. The addressing device supports the extended functions of AS-Interface specifications 3.0. For F-Line modules and ME-Line modules, a special addressing cable with a cinch connection is used. S-Line modules can be connected with the addressing device via a standard M12-M12 cable.

Key Commercial Data

Packing unit	1 STK
GTIN	 4 017918 190453

Technical data

Dimensions

Width	80 mm
Height	34 mm
Length	209 mm

Ambient conditions

Ambient temperature (operation)	0 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 55 °C
Degree of protection	IP20

Interfaces

Interface	AS-Interface
Connection method	2.5 mm or 3.5 mm cinch addressing socket

Operating elements

Keys	Membrane keypad 5
------	-------------------

General

Weight	550 g
--------	-------

Manual addressing device - ASI CC ADR - 2741338

Classifications

eCl@ss

eCl@ss 4.0	27250302
eCl@ss 4.1	27250281
eCl@ss 5.0	27259205
eCl@ss 5.1	27242692
eCl@ss 6.0	27242692
eCl@ss 7.0	27242692
eCl@ss 8.0	27249290
eCl@ss 9.0	27240692

ETIM

ETIM 2.0	EC000313
ETIM 3.0	EC000313
ETIM 4.0	EC002584
ETIM 5.0	EC002584

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	39121311
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311

Approvals

Approvals

Approvals

EAC / EAC / EAC

Ex Approvals

Approvals submitted

Approval details

EAC

EAC

Manual addressing device - ASI CC ADR - 2741338

Approvals

EAC

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Manual addressing device, for AS-i modules	2741338	ASI CC ADR	Buy on EAN