



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE



Software - DIAG+ NETSCAN CPY - 2868088

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



The Diag+ NetScan copy license enables the installation and parallel use of the Diag+ NetScan software on multiple workstations. It is a workstation license. A workstation full license is also required.



Key Commercial Data

Packing unit	1 STK		
GTIN	4 017918 989149		

Technical data

License information

Type of software	Configuration		
	Diagnostics		
	Data acquisition		
	Communication		
	Startup		
	Servicing		
	DIN EN 61131-3 compliant		
	Security		

Functions

Number of I/O nodes	not relevant
Basic functions	Executing important commands (start/stop/)
	Reading in the installed bus structure
	Detecting/representing error states (plain text from knowledge database)
	Saving diagnostics data in flash memory or parameterizing memory of the controller board
	Diagnostics of FO paths (transmission quality)
	Can be integrated into other 32-bit applications as ActiveX Control



Software - DIAG+ NETSCAN CPY - 2868088

Technical data

Functions

Expanded functionality	Cyclical readout of diagnostic data from all INTERBUS controller boards/ controllers in the network overview (the number of controller boards is not limited)	
	Network overview: All INTERBUS controller boards/controllers in a system are clearly shown in a tree view; detailed diagnostics can be called up by clicking on the corresponding item	
	Monitoring function: Simultaneous monitoring of up to 10 INTERBUS controller boards/controllers maximum	
Supported controllers	INTERBUS Generation 4 controller board	
Configuration	INTERBUS, PROFINET	
Diagnostics	INTERBUS, PROFINET	

Hardware requirements

Hard disk	min. 2 GByte	
CPU	Pentium 4/Celeron 1.6 GHz, minimum	
Interfaces	Serial interface, Ethernet, PCI	
Optical drive	DVD-ROM	
Monitor resolution	XGA (1024 x 768)	
Operating equipment	Keyboard, mouse	

Software requirements

Operating systems	MS Windows® 7 Professional (32 bit/64 bit), SP1		
	MS Windows® 7 Ultimate (32-Bit/64-Bit), SP1		
	MS Windows® 8 Professional (32-Bit/64-Bit)		
	MS Windows® 8 Enterprise (32-Bit/64-Bit)		
	MS Windows [®] 8.1 Professional (32-Bit/64-Bit)		
	MS Windows® 8.1 Enterprise (32-Bit/64-Bit)		
Languages supported	German, English, French, Italian, Spanish, Chinese		
Supported browsers	Internet Explorer Version 8 or later		

Classifications

eCl@ss

eCl@ss 4.0	27250270
eCl@ss 4.1	27250270
eCl@ss 5.0	27242501
eCl@ss 5.1	27242501
eCl@ss 6.0	27242501
eCI@ss 7.0	27242501
eCl@ss 8.0	27242501

ETIM

ETIM 2.0	EC001435



Software - DIAG+ NETSCAN CPY - 2868088

Classifications

ETIM

ETIM 3.0	EC001435
ETIM 4.0	EC000809
ETIM 5.0	EC000809

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43232401
UNSPSC 13.2	43232401

Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
The Diag+ NetScan copy license enables the installation and parallel use of the Diag+ NetScan software on multiple workstations. It is a workstation license. A workstation full license is also required.	2868088	DIAG+ NETSCAN CPY	Buy on EAN