



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

# Antenna cable - PSI-CAB-GSM/UMTS-10M - 2900981

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

GSM/UMTS antenna cable, 10 m long; SMA (male) -> SMA (female), 50 Ohm impedance



## Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 568890

## Technical data

### Dimensions

Fixed cable length	10 m
External diameter	5.50 mm

### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C

### General

Connection 1	Connector connection
Connection method	SMA (male)
Connection 2	Connector connection
Connection method	SMA (female)
Outer sheath, material	LSFH
Minimum bending radius	82.00 mm
Frequency range	850 MHz
	900 MHz
	1800 MHz
	1900 MHz
	2100 MHz
Impedance	50 Ω

### Attenuation

Cable, attenuation	Approx. 0.23 dB/m at 850 MHz
	Approximately 0.24 dB/m at 900 MHz

# Antenna cable - PSI-CAB-GSM/UMTS-10M - 2900981

## Technical data

### Attenuation

	Approximately 0.35 dB/m at 1.8 GHz
	Approximately 0.39 dB/m at 2.1 GHz

## Classifications

### eCl@ss

eCl@ss 4.0	27240490
eCl@ss 4.1	27240490
eCl@ss 5.0	27242208
eCl@ss 5.1	27242208
eCl@ss 6.0	19070490
eCl@ss 7.0	19070490
eCl@ss 8.0	27061802

### ETIM

ETIM 3.0	EC000310
ETIM 4.0	EC001682
ETIM 5.0	EC001682

### UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	43223108
UNSPSC 11	39121008
UNSPSC 12.01	43223108
UNSPSC 13.2	43223108

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

Approval details

## Antenna cable - PSI-CAB-GSM/UMTS-10M - 2900981

### Approvals

EAC
-----

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
GSM/UMTS antenna cable, 10 m long; SMA (male) -> SMA (female), 50 Ohm impedance	2900981	PSI-CAB-GSM/ UMTS-10M	<a href="#">Buy on EAN</a>