At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE

# Cable tie - WT-STEEL S 7,9X360 - 3240815

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(http://phoenixcontact.com/download)

Cable binders, made from rust-free stainless steel (AISI 304), suitable for harsh ambient conditions, with ball lock, for quick and secure bundling and fastening

## Key Commercial Data

| | |
|---|---|
| Packing unit | 100 STK |
| Minimum order quantity | 100 STK |
| GTIN | 4 046356 705639 |

## Technical data

### Dimensions

| | |
|---|---|
| Length (b) | 360 mm |
| Width (a) | 7.9 mm |
| Max. material thickness | 0.25 mm |

### Ambient conditions

| | |
|---|---|
| Ambient temperature (operation) | -80 °C ... 538 °C |

### General

| | |
|---|---|
| Color | silver |
| Type | Steel strip |
| Components | free from silicone and halogen |
| Material | Stainless steel 1.4301/AISI 304 |
| RoHS compliant | Yes |

### Standards and Regulations

| | |
|---|---|
| Resistance to UV radiation | yes |

## Classifications

### eCl@ss

| | |
|---|---|
| eCl@ss 4.0 | 27140702 |
| eCl@ss 4.1 | 27140702 |
| eCl@ss 5.0 | 27140702 |

# Cable tie - WT-STEEL S 7,9X360 - 3240815

## Classifications

### eCl@ss

| | |
|---|---|
| eCl@ss 5.1 | 27140702 |
| eCl@ss 6.0 | 27140702 |
| eCl@ss 7.0 | 27140702 |
| eCl@ss 8.0 | 27140702 |

### ETIM

| | |
|---|---|
| ETIM 3.0 | EC000046 |
| ETIM 4.0 | EC000046 |
| ETIM 5.0 | EC000046 |

### UNSPSC

| | |
|---|---|
| UNSPSC 6.01 | 30212109 |
| UNSPSC 7.0901 | 27121703 |
| UNSPSC 11 | 27121703 |
| UNSPSC 12.01 | 27121703 |
| UNSPSC 13.2 | 27121703 |

## Approvals

### Approvals

Approvals

LR

Ex Approvals

Approvals submitted

### Approval details

| |
|---|
| LR |

Phoenix Contact 2016 © - all rights reserved
http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
http://www.phoenixcontact.com

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

| Product | Code | Reference | Product link |
|---|---|---|---|
| Cable binders, made from rust-free stainless steel (AISI 304), suitable for harsh ambient conditions, with ball lock, for quick and secure bundling and fastening | 3240815 | WT-STEEL S 7,9X360 | Buy on EAN |