



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

Heavy-duty plug-in connectors

HEAVYCON type B - housing

Type B24, metal, sleeve housing for central locking latch

Technical data	
General data	
Housing material	Aluminum, die-cast
Surface material	Powder-coated, gray
Locking latch material	Steel, galvanized
Sealing material	-
Ambient temperature (operation)	-40 °C ... 125 °C
Type of protection (when plugged in)	IP65



Description		Ordering data		Dimensions	
Description		Type	Order No.	Pcs. / Pkt.	Dimensions
Cable entry: top Height: 76 mm	1 x M32	HC-B 24-TMZ-76/O1STM32G	1584596	10	
Cable entry: lateral Height: 76 mm	1 x M32	HC-B 24-TMZ-76/O1STM32S	1584606	10	

Notes:
For further accessories, see from page 552

Accessories



Screw connections
From page 552



Pressure screw set
From page 556

Heavy-duty plug-in connectors

HEAVYCON type B - housing

Type B24, metal, supporting base element for central locking latch

Technical data	
General data	
Housing material	Aluminum, die-cast
Surface material	Powder-coated, gray
Locking latch material	-
Sealing material	NBR
Ambient temperature (operation)	-40 °C ... 125 °C
Type of protection (when plugged in)	IP65



Description		Ordering data		Dimensions	
Description	Thread	Type	Order No.	Pcs. / Pkt.	Dimensions
Panel mounting base Height: 29 mm		HC-B 24-AFZ	1584583	10	
Box mounting base Height: 84 mm	1 x M32	HC-B 24-SFZ-84/O1M32	1584570	10	

Notes:
For further accessories, see from page 552

Accessories



Flat gaskets
From page 571



Pressure screw set
From page 556



Screw connections
From page 552



Cover plates
From page 572

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
HEAVYCON sleeve housing B24, with main latch, height 76 mm, with 1 x M32 thread, straight conductor outlet	1584596	HC-B 24-TMZ-76/ O1STM32G	Buy on EAN
HEAVYCON sleeve housing B24, with main latch, height 76 mm, with 1 x M32 thread , lateral conductor outlet	1584606	HC-B 24-TMZ-76/ O1STM32S	Buy on EAN