




Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)


Surge protection and interference filters

Selection guide and applications

Three-stage protection for the power supply, type 1 and type 2 installed separately + type 3




Three-stage protection for the power supply, type 1 and type 2 combined in a single device + type 3



* F2 is not needed if F1 ≤ maximum backup fuse according to IEC

Two-stage protection for the power supply, type 1/2 combination based on varistor + type 3



* F2 is not needed if F1 ≤ maximum backup fuse according to IEC

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Pluggable type 3 arrester (device protection) for single-phase power supply networks with separate N and PE (3-conductor system: L1, N, PE) with remote indication contact.	2858357	PT 2-PE/ S-230AC/FM	Buy on EAN
Plug-in type 2 arrester (surge arrester) for 3-phase power supply networks with separate N and PE (5-conductor system: L1, L2, L3, N, PE), with remote indication contact.	2859521	VAL- CP-3S-350	Buy on EAN
Pluggable lightning current and surge arrester combination, in acc. with typ 1+2 / Class I+II / B+C arresters. Arresters coordinated following the AEC principle, for 3-phase power supply networks with PE and N (L1, L2, L3, PEN) installed in one cable.	2859725	FLT-CP-3C-350	Buy on EAN
Pluggable lightning current arrester, in acc. with type 1/ class I/B for 3-phase power supply networks with combined PE and N (L1, L2, L3, PEN) installed in one cable.	2882653	FLT-CP- PLUS-3C-350	Buy on EAN