


COSSES CODE COULEUR

pour câble en cuivre



File no. E125401



Nouveau

C

Section Câble mm ²	Section Câble AWG		Ø Vis mm	Réf.	Dimensions mm					Code Couleur	Cond. ¹ Boîte/Sachet	Pinces Mécaniques	Presses Hydrauliques					
	Size	Navy			Øi	B	M	N	L					d				
4/0	200			6	C4/0-14	13,5	25,0	8,0	7,0	50,5	6,4	POURPRE	100/25	TN 120 SE B3550MD	HT 51 RH 50 B 500 HT120 et outils et vérins de la gamme T30 kN ECW-H3D RHU 520			
				8	C4/0-516	13,5	25,0	9,0	8,0	52,5	8,4		100/25					
				10	C4/0-38	13,5	25,0	11,0	10,0	56,5	10,5		100/25					
				12	C4/0-12	13,5	25,0	14,0	12,0	61,5	13,2		100/25					
				14	C4/0-916	13,5	25,0	16,0	14,0	65,5	15,0		100/25					
				16	C4/0-58	13,5	27,0	18,0	16,0	69,5	17,0		50/25					
				20	C4/0-34	13,5	29,5	22,0	20,0	77,5	21,0		50/25					
120	250	MCM	250	6	C250-14	15,2	28,5	8,0	7,0	52,0	6,4	JAUNE	100/25					
				8	C250-516	15,2	28,5	9,0	8,0	54,0	8,4		100/25					
				10	C250-38	15,2	28,5	11,0	10,0	58,0	10,5		100/25					
				12	C250-12	15,2	28,5	14,0	12,0	63,0	13,2		50/25					
				14	C250-916	15,2	28,5	16,0	14,0	67,0	15,0		50/25					
				16	C250-58	15,2	28,5	18,0	16,0	71,0	17,0		50/25					
				20	C250-34	15,2	30,0	22,0	20,0	79,0	21,0		50/25					
150	300	MCM	300	8	C300-516	16,7	31,5	13,0	11,0	69,0	8,4	BLANC	40/10					
				10	C300-38	16,7	31,5	13,0	11,0	69,0	10,5		40/10					
				12	C300-12	16,7	31,5	16,0	14,0	75,0	13,2		40/10					
				14	C300-916	16,7	31,5	18,0	16,0	79,0	15,0		40/10					
				16	C300-58	16,7	31,5	19,0	17,0	81,0	17,0		40/10					
				20	C300-34	16,7	31,5	22,0	20,0	87,0	21,0		40/10					
				22	C300-78	16,7	31,5	24,0	23,0	92,0	23,0		40/10					
185	350	MCM	350	10	C350-38	17,6	33,0	13,0	11,0	70,5	10,5	ROUGE	40/20					
				12	C350-12	17,6	33,0	16,0	14,0	76,5	13,2		40/20					
				14	C350-916	17,6	33,0	18,0	16,0	80,5	15,0		40/20					
				16	C350-58	17,6	33,0	19,0	17,0	82,5	17,0		40/20					
				20	C350-34	17,6	33,0	22,0	20,0	88,5	21,0		40/20					
				22	C350-78	17,6	37,0	24,0	23,0	93,5	23,0		30/15					
				400	400	MCM	400	10	C400-38	19,2	35,5		13,0			11,0	76,0	10,5
12	C400-12	19,2	35,5					16,0	14,0	82,0	13,2	40/20						
14	C400-916	19,2	35,5					18,0	16,0	86,0	15,0	40/20						
16	C400-58	19,2	35,5					19,0	17,0	88,0	17,0	40/20						
20	C400-34	19,2	35,5					22,0	20,0	94,0	21,0	40/20						
22	C400-78	19,2	35,5					24,0	23,0	99,0	23,0	40/20						
240	500	MCM	500					10	C500-38	21,1	39,0	13,0	11,0	82,0	10,5	MARRON	30/15	
				12	C500-12	21,1	39,0	16,0	14,0	88,0	13,2	30/15						
				14	C500-916	21,1	39,0	18,0	16,0	92,0	15,0	30/15						
				16	C500-58	21,1	39,0	19,0	17,0	94,0	17,0	30/15						
				20	C500-34	21,1	39,0	22,0	20,0	100,0	21,0	20/10						
				22	C500-78	21,1	39,0	24,0	23,0	105,0	23,0	20/10						
				300	600	MCM	600	12	C600-12	23,7	44,0	20,0	14,0	99,0	13,2		VERT	20/10
14	C600-916	23,7	44,0					22,0	16,0	103,0	15,0	20/10						
16	C600-58	23,7	44,0					22,0	19,0	106,0	17,0	20/10						
20	C600-34	23,7	44,0					24,0	23,0	112	21,0	10/5						
22	C600-78	23,7	44,0					24,0	23,0	112,0	23,0	10/5						
750	MCM							12	C750-12	26,0	48,0	22,0	19,0	113,0	13,2	NOIR		10/5
								16	C750-58	26,0	48,0	22,0	19,0	113,0	17,0			10/5
				20	C750-34	26,0	48,0	24,0	23,0	119,0	21,0	10/5						
				22	C750-78	26,0	48,0	24,0	23,0	119,0	23,0	10/5						