

PRODUCT-DETAILS

# E2.2S/E9 2500 Ekip Dip LSI 3p WMP

## E2.2S/E9 2500 Ekip Dip LSI 3p WMP



### General Information

Extended Product Type	E2.2S/E9 2500 Ekip Dip LSI 3p WMP
Product ID	1SDA104447R1
EAN	8015644065270
Catalog Description	E2.2S/E9 2500 Ekip Dip LSI 3p WMP
Long Description	MOVING PART FOR C.BREAKER SACE EMAX2 E2.2S 2500 THREE-POLE WITH SOLID-STATE RELEASE IN AC EKIP/DIP-LSI R 2500 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED 900V

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

### Popular Downloads

Data Sheet, Technical Information	1SDC200023D0209
Instructions and Manuals	1SDH001000R0002

### Dimensions

Product Net Width	317 mm
Product Net Height	425 mm

Product Net Depth / Length	383 mm
Product Net Weight	48 kg

## Technical

Rated Impulse Withstand Voltage ( $U_{imp}$ )	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage ( $U_i$ )	AC 1000 V
Rated Operational Voltage	900 V AC
Rated Short-Circuit Making Capacity ( $I_{cm}$ )	(800 V AC) 105 kA (900 V AC) 105 kA
Rated Short-time Withstand Current ( $I_{cw}$ )	for 1 s 50 kA for 3 s 50 kA
Power Loss	550 W
Standards	IEC
Number of Poles	3
Mechanical Durability	25000 cycle 60 cycles per hour

## Environmental

Environmental Information	ROHS, REACH
---------------------------	-------------

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SDL000165R0020
Environmental Information	ROHS, REACH
Instructions and Manuals	1SDH001000R0002

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	515 mm
Package Level 1 Depth / Length	515 mm
Package Level 1 Height	610 mm
Package Level 1 Gross Weight	64 kg
Package Level 1 EAN	8015644065270

## Classifications

Object Classification Code	Q
ETIM 6	EC000228 - Power circuit-breaker for trafo/generator/installation prot.
ETIM 7	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

Low Voltage Products and Systems → Industries → Solar power → 800V AC

