
PRODUCT-DETAILS

PB 100mm 4pcs XT5 3p UL

PB 100mm 4pcs XT5 3p UL



General Information

Extended Product Type	PB 100mm 4pcs XT5 3p UL
Product ID	1SDA107801R1
EAN	8056221028677
Catalog Description	PB 100mm 4pcs XT5 3p UL
Long Description	KIT PARTITIONS DIV. PHASE LOW FOR THREE-POLE H=100 MM 4pcs XT5 UL

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT5PB100UL-3
EAN	8056221028677
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.105 kg
--------------------	----------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	160 mm
Package Level 1 Height	20 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.111 kg
Package Level 1 EAN	8056221028677

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Sub-type	XT5
Suitable For	XT5
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations

Data Sheet, Technical Information	1SDC210200D0206 1SDC210199D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH002012A1603

Classifications

ETIM 7	EC002273 - Phase barrier plate
ETIM 8	EC002273 - Phase barrier plate
ETIM 9	EC002273 - Phase barrier plate
IDEA Granular Category Code (IGCC)	4873 >> Phase separation plate for power circuit breaker

UNSPSC

39121601

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

eClass

V11.1 : 27400614

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

