

PRODUCT-DETAILS

CR-PLP

CR-PLP Push-in socket for 1c/o or 2c/o CR-P relays



General Information

Extended Product Type	CR-PLP
Product ID	1SVR405650R0310
EAN	4053546062113
Catalog Description	CR-PLP Push-in socket for 1c/o or 2c/o CR-P relays
Long Description	The CR-PLP socket is from the CR-P (pcb) relay range. The logical socket with safety isolation is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has push-in connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering

EAN	4053546062113
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9040
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	15.8 mm
Product Net Height	98.4 mm
Product Net Depth / Length	42.5 mm
Product Net Weight	0.036 kg

Technical

Function	Accessory for interface relays CR-P
Sub-Function	Socket for PCB relays
Sub-Function 2	Standard socket for pcb relay 1 c/o or 2 c/o
Rated Operational Voltage	250 V
Output Signal	250 V / 10 A
Terminal Type	Push-in Spring Terminals
Rated Insulation Voltage (U _i)	2000 V
Wire Stripping Length	10 mm
Recommended Screw Driver	2.5
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-17 AWG Rigid 2x 20-16 AWG Stranded 2 x 20-16 AWG
Flammability According to UL94	V-0

Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations

CSA Certificate	CSA 262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	102 mm
Package Level 1 Depth / Length	163 mm
Package Level 1 Height	50 mm
Package Level 1 Gross Weight	0.401 kg

Package Level 1 EAN

4053546062120

Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

