

PRODUCT-DETAILS

ACS580-01-04A1-4

ACS580-01-04A1-4 Pn 1,5 kW, I2n 4 A,
Protection class IP21, EMC class C2



General Information

Global Commercial Alias	ACS580-01-04A1-4
Product ID	3AXD50000038939
ABB Type Designation	ACS580-01-04A1-4
EAN	6438177457893
Catalog Description	ACS580-01-04A1-4 Pn 1,5 kW, I2n 4 A, Protection class IP21, EMC class C2

Ordering

Country of Origin	China (CN) Finland (FI)
Customs Tariff Number	85044084
EAN	6438177457893
Invoice Description	ACS580-01-04A1-4 Pn 1,5 kW, I2n 4 A, Protection class IP21, EMC class C2
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece
Stocked At (Warehouses)	Central Stock Europe Central Stock Asia FIPSEEXPU

US Drive Services
 SGRDC002EXPU
 CNIAB001EXPU
 SGIND002EXPU
 JPABB001EXPU
 AUABB024EXPU
 SGIND005EXPU

Dimensions

Product Net Height	373 mm
Product Net Length	223 mm
Product Net Weight	5.7 kg
Product Net Width	125 mm

Technical

Frequency (f)	50/60 Hz
Input Voltage (U_{in})	380 ... 480 V
Number of Phases	3
Output Current, Normal Use	4 A
Output Power, Light-Overload Use	1.5 kW
Output Power, Normal Use	1.5 kW

Additional Information

Product Main Type	ACS580
Product Name	Frequency converter

Categories

Drives → Low voltage AC drives → General purpose drives → ACS580-01 - Wall-mounted drive



