

PRODUCT-DETAILS

3GBP222210-ADL

IE3 Premium Efficiency Cast Iron Motor, 37 kW, 400 V (3GBP222210-ADL)



General Information

Product ID	3GBP222210-ADL
ABB Type Designation	M3BP 225SMA 4
Catalog Description	IE3 Premium Efficiency Cast Iron Motor, 37 kW, 400 V (3GBP222210-ADL)

Additional Information

ABB Type Designation	M3BP 225SMA 4
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6313/C3
Bearing NDE	6212/C3
Connection Configuration	D
Country of Origin	Finland (FI) China (CN) Poland (PL)
Customs Tariff Number	85015230
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	37.00 kW	1482 r/min	39.80 A	0.830	93.90 %	238.60 N-m	7.20
D	--	50 Hz	400 V	37.00 kW	1482 r/min	68.90 A	0.830	93.90 %	238.60 N-m	7.20
D	--	50 Hz	415 V	37.00 kW	1483 r/min	67.70 A	0.810	93.90 %	238.38 N-m	7.60
D	--	60 Hz	440 V	37.00 kW	1781 r/min	61.60 A	0.840	94.50 %	198.30 N-m	8.10
D	--	60 Hz	460 V	37.00 kW	1783 r/min	59.30 A	0.830	94.50 %	198.12 N-m	8.80

Frame Material	Cast Iron
Frame Size	225
Frequency (f)	50 Hz
Gross Weight	332 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 93.9 % Partial Load (75%) 93.9 % Partial Load (50%) 93.4 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 94.5 % Partial Load (75%) 94.7 % Partial Load (50%) 94.0 %
IM Class	IMB3 IM1001
Input Voltage (U _{in})	400 V
Insulation Class	ICLF
Invoice Description	M3BP 225SMA 4
IP Class	IP55
Made To Order	No
Medium Description	37kW, 4 Poles, Frame Size 225, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GBP222210-ADL)
Minimum Order Quantity	1 piece
Number of Poles (High)	4
Order Multiple	1 piece
Output Power	37 kW
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	879 mm
Product Net Height	573 mm
Product Net Weight	322 kg
Product Net Width	435 mm
Product Type	5BP3 M3BP CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	37kW, 4P, Frame Size 225, 3PH, 400V, 50Hz, IP55, IMB3/IM1001
Standards	IEC 60034-1
Stocked At (Warehouses)	Menden, Germany
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100 39120000
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE3 Premium Efficiency Cast Iron Motors

