

PRODUCT-DETAILS

# 3GGP134240-ADL

## Dust Ignition Proof IE3 LV Motors, 2.2 kW, 400 V (3GGP134240-ADL)



### General Information

Product ID	3GGP134240-ADL
ABB Type Designation	M3GP 132SMD 8
Catalog Description	Dust Ignition Proof IE3 LV Motors, 2.2 kW, 400 V (3GGP134240-ADL)

### Additional Information

ABB Type Designation	M3GP 132SMD 8
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6208-2Z/C3
Bearing NDE	6208-2Z/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015220
Direction of Rotation	Both sides

### Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	2.20 kW	707 r/min	3.40 A	0.640	81.90 %	29.70 N·m	4.10
D	T3	50 Hz	400 V	2.20 kW	707 r/min	5.90 A	0.640	81.90 %	29.70 N·m	4.10
D	T3	50 Hz	415 V	2.20 kW	710 r/min	5.90 A	0.620	81.90 %	29.70 N·m	4.30

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	132
Frequency (f)	50 Hz

Gas Group		IIC
Gross Weight		78 kg
IC Class		IC411
IE Class Data (50 Hz)		IE Class IE3 Full Load (100%) 81.9 % Partial Load (75%) 82.2 % Partial Load (50%) 80.4 %
IE Class Data (60 Hz)		IE Class IE3 Full Load (100%) 85.5 % Partial Load (75%) 85.3 % Partial Load (50%) 83.4 %
IM Class		IMB3 IM1001
Input Voltage (U <sub>in</sub> )		400 V
Insulation Class		ICLF
Invoice Description		M3GP 132SMD 8
IP Class		IP55
Made To Order		No
Medium Description	2.2kW, 8 Poles, Frame Size 132, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GGP134240-ADL)	
Minimum Order Quantity		1 piece
Number of Poles (High)		8
Order Multiple		1 piece
Output Power		2.2 kW
Package Level 1 Units		0 carton
Product Name		3-Phase squirrel cage motor
Product Net Depth / Length		533 mm
Product Net Height		300 mm
Product Net Weight		73 kg
Product Net Width		273 mm
Product Type		5GP3 M3GP CI
Quote Only		No
Selling Unit of Measure		piece
Short Description	2.2kW, 8P, Frame Size 132, 3PH, 400V, 50Hz, IP55, IMB3/IM1001	
Temperature Class Default		T3
Terminator Box Location		D-End top
Two Speed Motor		No
Type of Duty		S1
UNSPSC		26101100
Voltage Code		D
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	

---

## Categories

---

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

