

PRODUCT-DETAILS

# 3GGP311820-ADK

## Dust Ignition Proof IE3 LV Motors, 250 kW, 400 V (3GGP311820-ADK)



### General Information

Product ID	3GGP311820-ADK
ABB Type Designation	M3GP 315LKB 2
Catalog Description	Dust Ignition Proof IE3 LV Motors, 250 kW, 400 V (3GGP311820-ADK)

### Additional Information

ABB Type Designation	M3GP 315LKB 2
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6316/C3
Bearing NDE	6316/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015381
Direction of Rotation	Both sides

### Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	250.00 kW	2982 r/min	240.00 A	0.910	95.80 %	800.00 N·m	7.90
D	T3	50 Hz	400 V	250.00 kW	2982 r/min	413.00 A	0.910	95.80 %	800.00 N·m	7.90
D	T3	50 Hz	415 V	250.00 kW	2983 r/min	398.00 A	0.910	95.80 %	800.00 N·m	8.50
D	T3	60 Hz	460 V	250.00 kW	3583 r/min	359.00 A	0.910	95.80 %	666.00 N·m	9.00

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	315
Frequency (f)	50 Hz
Gas Group	IIC
Gross Weight	1560 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 96.0 % Partial Load (50%) 95.9 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 95.8 % Partial Load (50%) 95.3 %
IM Class	IMB3 IM1001
Input Voltage (U <sub>in</sub> )	400 V
Insulation Class	ICLF
Invoice Description	M3GP 315LKB 2
IP Class	IP55
Made To Order	No
Medium Description	250kW, 2 Poles, Frame Size 315, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GGP311820-ADK)
Minimum Order Quantity	1 piece
Number of Poles (High)	2
Output Power	250 kW
Package Level 1 Units	1 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	1489 mm
Product Net Height	854 mm
Product Net Weight	1540 kg
Product Net Width	660 mm
Product Type	3GP3_M3GP_IE3_CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	250kW, 2P, Frame Size 315, 3PH, 400V, 50Hz, IP55, IMB3/IM1001
Temperature Class Default	T3
Terminator Box Location	D-End top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

---

## Categories

---

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

