


PRODUCT-DETAILS

## 3GGP351210-BDK

Dust Ignition Proof IE3 LV Motors, 200 kW,  
400 V (3GGP351210-BDK)



### General Information

Product ID	3GGP351210-BDK
ABB Type Designation	M3GP 355SMA 2
Catalog Description	Dust Ignition Proof IE3 LV Motors, 200 kW, 400 V (3GGP351210-BDK)

### Additional Information

ABB Type Designation	M3GP 355SMA 2
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6316M/C3
Bearing NDE	6316M/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015381
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	200.00 kW	2985 r/min	195.00 A	0.890	95.80 %	640.00 N-m	7.60
D	T3	50 Hz	400 V	200.00 kW	2985 r/min	336.00 A	0.890	95.80 %	640.00 N-m	7.60
D	T3	50 Hz	415 V	200.00 kW	2985 r/min	326.00 A	0.890	95.80 %	639.00 N-m	8.20
D	T3	60 Hz	460 V	200.00 kW	3586 r/min	295.00 A	0.880	95.80 %	533.00 N-m	8.50

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	355
Frequency (f)	50 Hz
Gas Group	IIC
Gross Weight	1630 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 95.5 % Partial Load (50%) 94.5 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 95.4 % Partial Load (50%) 94.3 %
IM Class	IMB5 IM3001
Input Voltage (U <sub>in</sub> )	400 V
Insulation Class	ICLF
Invoice Description	M3GP 355SMA 2
IP Class	IP55
Made To Order	No
Medium Description	200kW, 2 Poles, Frame Size 355, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB5/IM3001 Mounting (3GGP351210-BDK)
Minimum Order Quantity	1 piece
Number of Poles (High)	2
Output Power	200 kW
Package Level 1 Units	1 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	1409 mm
Product Net Height	958 mm
Product Net Weight	1600 kg
Product Net Width	746 mm
Product Type	3GP3_M3GP_IE3_CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	200kW, 2P, Frame Size 355, 3PH, 400V, 50Hz, IP55, IMB5/IM3001
Temperature Class Default	T3
Terminator Box Location	D-End top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

---

## Categories

---

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

