


PRODUCT-DETAILS

3GGP354230-BDK

Dust Ignition Proof IE3 LV Motors, 200 kW,
400 V (3GGP354230-BDK)



General Information

Product ID	3GGP354230-BDK
ABB Type Designation	M3GP 355SMC 8
Catalog Description	Dust Ignition Proof IE3 LV Motors, 200 kW, 400 V (3GGP354230-BDK)

Additional Information

ABB Type Designation	M3GP 355SMC 8
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6322/C3
Bearing NDE	6316/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015381
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	200.00 kW	742 r/min	223.00 A	0.790	94.60 %	2576.00 N-m	7.40
D	T3	50 Hz	400 V	200.00 kW	742 r/min	385.00 A	0.790	94.60 %	2576.00 N-m	7.40
D	T3	50 Hz	415 V	200.00 kW	743 r/min	380.00 A	0.770	94.60 %	2567.00 N-m	7.90
D	T3	60 Hz	460 V	200.00 kW	893 r/min	335.00 A	0.790	95.00 %	2143.00 N-m	8.20

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	355
Frequency (f)	50 Hz
Gas Group	IIC
Gross Weight	0 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 94.6 % Partial Load (75%) 94.7 % Partial Load (50%) 93.9 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 95.0 % Partial Load (75%) 94.9 % Partial Load (50%) 94.0 %
IM Class	IMB5 IM3001
Input Voltage (U _{in})	400 V
Insulation Class	ICLF
Invoice Description	M3GP 355SMC 8
IP Class	IP55
Made To Order	No
Medium Description	200kW, 8 Poles, Frame Size 355, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB5/IM3001 Mounting (3GGP354230-BDK)
Minimum Order Quantity	1 piece
Number of Poles (High)	8
Order Multiple	1 piece
Output Power	200 kW
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	1479 mm
Product Net Height	958 mm
Product Net Weight	1820 kg
Product Net Width	746 mm
Product Type	3GP3_M3GP_IE3_CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	200kW, 8P, Frame Size 355, 3PH, 400V, 50Hz, IP55, IMB5/IM3001
Temperature Class Default	T3
Terminator Box Location	Top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

