

---

PRODUCT-DETAILS

## 3GGP403530-ADK

Dust Ignition Proof IE3 LV Motors, 500 kW,  
400 V (3GGP403530-ADK)



---

### General Information

Product ID	3GGP403530-ADK
ABB Type Designation	M3GP 400LC 6
Catalog Description	Dust Ignition Proof IE3 LV Motors, 500 kW, 400 V (3GGP403530-ADK)

---

### Additional Information

ABB Type Designation	M3GP 400LC 6
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6324/C3
Bearing NDE	6319/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015394
Direction of Rotation	CW Clockwise
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	500.00 kW	993 r/min	516.00 A	0.830	95.80 %	4809.00 N-m	7.20
D	T3	50 Hz	400 V	500.00 kW	993 r/min	891.00 A	0.830	95.80 %	4809.00 N-m	7.20
D	T3	50 Hz	415 V	500.00 kW	994 r/min	872.00 A	0.830	95.80 %	4806.00 N-m	7.60
D	T3	60 Hz	460 V	500.00 kW	1194 r/min	777.00 A	0.840	95.80 %	4000.00 N-m	8.10

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	400
Frequency (f)	50 Hz
Gas Group	IIC
Gross Weight	3340 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 95.6 % Partial Load (50%) 95.2 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 95.8 % Partial Load (75%) 95.6 % Partial Load (50%) 94.9 %
IM Class	IMB3 IM1001
Input Voltage (U <sub>in</sub> )	400 V
Insulation Class	ICLF
IP Class	IP55
Made To Order	No
Medium Description	500kW, 6 Poles, Frame Size 400, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GGP403530-ADK)
Minimum Order Quantity	1 piece
Number of Poles (High)	6
Order Multiple	1 piece
Output Power	500 kW
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	1891 mm
Product Net Height	1045 mm
Product Net Weight	3300 kg
Product Net Width	840 mm
Product Type	3GP3_M3GP_IE3_CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	500kW, 6P, Frame Size 400, 3PH, 400V, 50Hz, IP55, IMB3/IM1001
Temperature Class Default	T3
Terminator Box Location	Top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

---

## Categories

---

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

