


PRODUCT-DETAILS

3GGP452520-ADK

Dust Ignition Proof IE3 LV Motors, 900 kW,
400 V (3GGP452520-ADK)



General Information

Product ID	3GGP452520-ADK
ABB Type Designation	M3GP 450LB 4
Catalog Description	Dust Ignition Proof IE3 LV Motors, 900 kW, 400 V (3GGP452520-ADK)

Additional Information

ABB Type Designation	M3GP 450LB 4
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6326/C3
Bearing NDE	6322/C3
Connection Configuration	D
Country of Origin	Finland (FI)
Customs Tariff Number	85015399
Direction of Rotation	CW Clockwise
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	T3	50 Hz	690 V	900.00 kW	1491 r/min	912.00 A	0.860	96.00 %	5761.00 N-m	7.00
D	T3	50 Hz	400 V	900.00 kW	1492 r/min	1573.00 A	0.860	96.00 %	5761.00 N-m	7.00
D	T3	50 Hz	415 V	900.00 kW	1492 r/min	1539.00 A	0.840	96.00 %	5759.00 N-m	7.60
D	T3	60 Hz	460 V	900.00 kW	1792 r/min	1373.00 A	0.850	96.20 %	4794.00 N-m	7.90

EX-Protection	Exec
Frame Material	Cast Iron
Frame Size	450
Frequency (f)	50 Hz
Gas Group	IIC
Gross Weight	4390 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 96.0 % Partial Load (75%) 95.9 % Partial Load (50%) 95.1 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 96.2 % Partial Load (75%) 95.7 % Partial Load (50%) 95.3 %
IM Class	IMB3 IM1001
Input Voltage (U _{in})	400 V
Insulation Class	ICLF
Invoice Description	M3GP 450LB 4
IP Class	IP55
Made To Order	No
Medium Description	900kW, 4 Poles, Frame Size 450, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GGP452520-ADK)
Minimum Order Quantity	1 piece
Number of Poles (High)	4
Order Multiple	1 piece
Output Power	900 kW
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Depth / Length	2187 mm
Product Net Height	1231 mm
Product Net Weight	4350 kg
Product Net Width	966 mm
Product Type	3GP3_M3GP_IE3_CI
Quote Only	No
Selling Unit of Measure	piece
Short Description	900kW, 4P, Frame Size 450, 3PH, 400V, 50Hz, IP55, IMB3/IM1001
Temperature Class Default	T3
Terminator Box Location	Top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	D
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Dust Ignition Proof Motors → Dust Ignition Proof IE3 LV Motors

