

PRODUCT-DETAILS

RCCB/FP AC/2 80/0.3

RCCB/FP AC/2 80/0.3 Residual Current Circuit Breaker 2P AC type 300 mA



General Information	
Extended Product Type	RCCB/FP AC/2 80/0.3
Product ID	4TQA605480R0000
EAN	5411815226632
Catalog Description	RCCB/FP AC/2 80/0.3 Residual Current Circuit Breaker 2P AC type 300 mA
Long Description	The FP series RCCB is providing the protection for the people against the leakage currents. Including different types and sensitivities for a wide set of applications.

Technical	
Standards	IEC/EN 60898-1
Type of Residual Current	AC type
Rated Operational Voltage	240 V AC
Rated Insulation Voltage (U ₁)	acc. to IEC/EN 60664-1 500 V
Rated Impulse Withstand Voltage (U _{imp})	6 kV
Input Voltage Type	AC
Rated Current (I _n)	80 A
Rated Residual Current	300 mA
Rated Service Short-	10 kA

Circuit Breaking	
Canacity (lcs)	

Cupacity (103)	
Maximum Surge Current	250 kA
Rated Frequency (f)	50/60 Hz
Number of Protected	2
Poles	
Number of Poles	2
Operating Characteristic	Instantaneous
Position of Neutral	Right
Terminals	
Mounting Type	DIN-Rail
Accessories Available	Yes
Rated Cross-Section	1 - Solid-Core 1.5 50 mm²
	4 - Multi-Wired 1.5 35 mm²

Environmental	
Ambient Air Temperature	Operation -25 55 °C
Degree of Protection	IP20
Pollution Degree	3
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2CSC423016D2701
Conflict Minerals Reporting Template	9AKK108468A3363

Technical UL/CSA	
Short-Circuit Current	0.3 A
Rating (SCCR)	

Dimensions	
Width in Number of Modular Spacings	2
Product Net Width	0.091 m
Product Net Height	0.078 m
Product Net Depth / Length	0.030 m
Product Net Weight	0.126 kg
Built-In Depth (t ₂)	68 mm

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads

Data Sheet, Technical	No document needed
Information	

Classifications	
ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
ETIM 9	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85363030
eClass	V11.0 : 27142201
Object Classification Code	Q

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow AEG \rightarrow Residual\ Current\ Devices\ RCDs$











