

PRODUCT-DETAILS

RCD/BP AC/2 25/0.03

RCD/BP AC/2 25/0.03 Residual Current Circuit Breaker 2P AC type 30 mA



3605

General Information	
Extended Product Type	RCD/BP AC/2 25/0.03
Product ID	4TQA607130R0000
EAN	5413656071303
Catalog Description	RCD/BP AC/2 25/0.03 Residual Current Circuit Breaker 2P AC type 30 mA
Long Description	The BP series RCCB is providing the protection for the people against the leakage currents. Including different types and sensitivities for a wide set of applications.

Technical	
Standards	IEC/EN 60898-1
Type of Residual Current	AC type
Rated Voltage (U _r)	240 V
Rated Operational Voltage	240 V AC
Rated Insulation Voltage (U _i)	440 V
Rated Impulse Withstand Voltage (U _{imp})	6 kV
Rated Current (In)	25 A
Rated Residual Current	30 mA
Rated Frequency (f)	50/60 Hz

RCD/BP AC/2 25/0.03

Number of Protected	2
Poles	
Number of Poles	2
Operating Characteristic	Instantaneous
Position of Neutral	Right
Terminals	
Mounting Type	DIN-Rail
Accessories Available	Yes
Rated Cross-Section	1 - Solid-Core 1 35 mm²
	4 - Multi-Wired 1 25 mm ²

Environmental	
Ambient Air Temperature	Operation -5 40 °C
Degree of Protection	IP20
Pollution Degree	3
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2CSC423016D2701
SCIP	d237f8e8-baeb-441a-8027-91bb80c2a76c Italy (IT)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Technical UL/CSA	
Short-Circuit Current	0.03 A
Rating (SCCR)	

Dimensions	
Width in Number of Modular Spacings	2
Product Net Width	0.091 m
Product Net Height	0.078 m
Product Net Depth / Length	0.030 m
Product Net Weight	0.126 kg
Built-In Depth (t ₂)	44 mm

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.215 kg

No declaration needed

Instal	lation	
--------	--------	--

2

RCD/BP AC/2 25/0.03

Instructions and No document needed Manuals

Popular Downloads

Data Sheet, Technical No document needed Information

Classifications	
ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
ETIM 9	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536209090
eClass	V11.0 : 27142201
Object Classification Code	Q

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow AEG \rightarrow Residual\ Current\ Devices\ RCDs$



3605