

PRODUCT-DETAILS

AST M 40 10

AST M 40 10 Switch



General Information

Extended Product Type	AST M 40 10
Product ID	4TQA648369R0000
EAN	5413656483694
Catalog Description	AST M 40 10 Switch
Long Description	Aster M Main Switch Disconnectors series, from 80-125 A

Technical

Standards	EN 60947-3
Rated Operational Voltage	240/415 V AC
Rated Current (I_n)	40 A
Rated Frequency (f)	50 / 60 Hz
Number of Poles	1

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Dimensions

Width in Number of Modular Spacings	1
Product Net Width	0.091 m
Product Net Height	0.078 m
Product Net Depth / Length	0.03 m
Product Net Weight	0.126 kg

Ordering

Package Level 1 Units	box 12 piece
Package Level 1 Gross Weight	3.12 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC000216 - Switch disconnecter
ETIM 9	EC000216 - Switch disconnecter (low voltage)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85369095
eClass	V11.0 : 27371403
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → AEG → Busbars and Accessories

