

PRODUCT-DETAILS

708747

REC2 AI 440/30 Rec 2 RCCB



General Information

Global Commercial Alias	708747
Extended Product Type	REC2 AI 440/30
Product ID	4TQA708747R0000
EAN	3390207087476
Catalog Description	REC2 AI 440/30 Rec 2 RCCB
Long Description	REC2 AI 440/30 Rec 2 RCCB REC2 + RCCB 4P, Type Ai, 40A, 30mA Old-GE: 677048

Technical

Standards	EN 50557:2012
Type of Residual Current	A type
Rated Operational Voltage	230 / 400 V AC
Rated Current (I _n)	40 A
Rated Residual Current	30 mA
Rated Frequency (f)	50 / 60 Hz
Number of Poles	4
Number of Protected Poles	3

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	0.115 m
Product Net Height	0.108 m
Product Net Depth / Length	0.082 m
Product Net Weight	0.614 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	0.598 kg
Package Level 1 EAN	3390207087476

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85362010
Country of Origin	Spain (ES)

Certificates and Declarations (Document Number)

Certification Agency	EN
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC002693 - Residual current circuit breaker (RCCB) with auxiliary device
ETIM 8	EC002693 - Residual current circuit breaker (RCCB) with auxiliary device
EPLAN Catalog Tree	Electrical engineering / Protection devices / Ground fault current circuit breaker
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 20 10
UNSPSC	39121614
eClass	V11.0 : 27142207
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → AEG → Busbars and Accessories AEG

