

PRODUCT-DETAILS

694965

DG61N+ C10 Miniature Circuit Breaker



Informations générales

Global Commercial Alias	694965
Extension du type de produit	DG61N+ C10
Code de produit	2CDS211167R0104
EAN	5413656949657
Description courte	DG61N+ C10 Miniature Circuit Breaker
Description longue	DG60+ miniature circuit breakers are current limiting. They have two different tripping mechanisms, the delayed thermal tripping mechanism for overload protection and the electromechanic tripping mechanism for short circuit protection. They are available in different characteristics (B,C), cbreaking capacities (up to 6 kA at 230/400 V AC) and rated currents (up to 40 A). All MCBs of the product range DG60+ comply with IEC/EN 60898-1, allowing the use for residential applications.

Technique

Normes et standards	EN 60898-1
---------------------	------------

Environnement

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Emballage

Emballage Niveau 1 EAN	5413656949657
Emballage Niveau 2 EAN	5413656949657

Commande

Quantité minimum	5 pièce
Code douanier	85362010
Pays d'origine	Germany (DE)

Certificats et Déclarations (Numéro de document)

Certification Agency	EN
Déclaration de Conformité - CE	No declaration needed
Instructions et manuels	No document needed

Downloads Préférés

Fiche produit, informations techniques	No document needed
Instructions et manuels	No document needed

Classifications

ETIM 7	EC000042 - Miniature circuit breaker (MCB)
ETIM 8	EC000042 - Miniature circuit breaker (MCB)
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	8536 20 10
UNSPSC	39121614
eClass	V11.0 : 27141901
Object Classification Code	F

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → AEG → MCB AEG

