



AUXILIARY CONTACTS NHI-PKZ2



Powering Business Worldwide™

Part no. HI11-S/EZ-PKZ2

Article no. 090305

Can be fitted on side of base for separate mounting

Delivery programme

Product range			Accessories: PKZ2 System - PRODUCT DISCONTINUATION IN 2012
Accessories			Auxiliary contact drive
			can be can be retrofitted on side of bases for separate mounting
Contacts			
N/O = Normally open			1 N/O
N/C = Normally closed			1 N/C
Contact diagram			
Contact sequence			
Notes			
Accessories			Page
8 High-capacity contact module			→ 063711
10 Base for separate mounting			→ 028596
Further actuating voltages			→ 026609

Approvals


Product Standards	UL 508; CSA-C22.2 No. 14; IEC60947-4-1; CE marking
UL File No.	E29184
UL CCN	NKCR
CSA File No.	12528
CSA Class No.	3211-05
NA Certification	UL listed, CSA certified
Specially designed for NA	No

Technical data ETIM 4.0

Suitable for earth leakage circuit breaker			No
Type of electric connection			Screw connection
Rated operation current Ie at AC-15, 230 V		A	6
Mounting type			Side mounting
Suitable for pendant switch			No
Suitable for front element			No

Suitable for circuit-breakers		No
Suitable for safety position switches		No
Suitable for step switches		No
Suitable for pressure switch/selector switch actuator		No
Suitable for cam switches		No
Suitable for motor protective circuit breakers		YES
Suitable for series-mounting relays		No
Suitable for solenoid		No
Suitable for compact switch-disconnector		No
Suitable for miniature circuit-breakers		No
Suitable for pulse relay		No
Suitable for contactor relay		No
Suitable for pendant pushbutton		No
Suitable for residual current device		No
Number of contacts as change-over contact		0
Number of contacts as N/O		1
Number of contacts as NC		1
Suitable for impulse relays		No
Suitable for position switches		No
Suitable for switch-disconnector/residual current device		No
Suitable for contactors		No
Suitable for installation contactor / installation relay		No

Dimensions



Auxiliary contact for separate mounting

Additional product information (links)

AWA1280-1130 Auxiliary contact for contact module

	AWA1280-1130 Auxiliary contact for contact module
Motor starters and "Special Purpose Ratings" for the North American market	http://www.moeller.net/binary/ver_techpapers/ver953en.pdf
Busbar Component Adapters for modern Industrial control panels	http://www.moeller.net/binary/ver_techpapers/ver960en.pdf