

Bowdenzug, für Seitenhebel 60 Zoll

Powering Business Worldwide*

Typ NZM-XSHBZ60-NA Art.-Nr. 107265

Lieferprogramm

	Bowdenzug
	Nennlänge 60"
Sortiment	Zusatzausrüstung
Zubehör	Seitenhebelantrieb für Nordamerika
Norm/Zulassung	UL/CSA
Baugröße	NZM2
Beschreibung	Für die Montage außerhalb der Schaltschranktür. Betätigung eines Schalters mit Kipphebel mittels eines Bowdenzuges und einer auf die Schalterfrontseite zu montierenden Mechanik. Für Schalter mit Kipphebel. Achtung! Ausschließlich für den Einsatz außerhalb des Geltungsbereiches der IEC/EN 60947.
verwendbar für	NZM2NA, NS2NA NZM3NA, NS3NA

Approbationen

- PP	
Product Standards	UL489; CSA-C22.2 No. 5-09
UL File No.	E140306
UL Category Control No.	DIHS
CSA File No.	236771
CSA Class No.	1437-02
North America Certification	UL listed, CSA certified
Specially designed for North America	NA style Flange Mount: vertical motion handle and flex cable assembly, compliant with requirements for the Supply Circuit Disconnecting Means per NFPA79 and UL 508A Industrial Machinery standards.