
Shaft extension, 9mm, for T0





General specifications	
Product name	Eaton Moeller® series Accessory Shaft extension
Part no.	AE(+9MM)-T0
EAN	4015080297994
Product Length/Depth	46 millimetre
Product height	14 millimetre
Product width	14 millimetre
Product weight	0.002 kilogram
Compliances	CE
Product Tradename	None
Product Type	Accessory
Product Sub Type	Shaft extension
Features & Functions	
Material	Plastic
General information	
Shaft length	9 mm
Туре	Shaft extension
Climatic environmental conditions	
Ambient operating temperature - min	-25 °C
Ambient operating temperature - max	50 °C
Design verification	
	0.14
Equipment heat dissipation, current-dependent Pvid	0 W
Heat dissipation capacity Pdiss	0 W
Heat dissipation per pole, current-dependent Pvid	0 W
Rated operational current for specified heat dissipation (In)	0 A 0 W
Static heat dissipation, non-current-dependent Pvs 10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat 10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements. Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements. Meets the product standard's requirements.
10.2.5 Lifting	
10.2.5 Litting 10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated. Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
	Does not apply, since the entire switchgear needs to be evaluated.
10.5 Protection against electric shock 10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated. Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	Not applicable.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be
10.12 Electromagnetic compatibility	observed. Is the panel builder's responsibility. The specifications for the switchgear must be
10.12 Eloca omagnicae compadibility	observed.

10.13 Mechanical function	The device meets the requirements, provided the information in the instruction
	leaflet (IL) is observed.

Technical data ETIM 9.0

Low-voltage industrial components (EG000017) / Switch operating shaft (EC000916)				
Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Switch axle (ecl@ss13-27-37-04-13 [AKF011018])				
Length	mm	9		
Cross section height	mm	0		
Cross section width	mm	0		