${\bf Motor\ suppressor\ module,\ plug-in,\ for\ DILM7-DILM15}$



Part no. DILM12-XMSM 109399

eneral specifications	Fator Marilland and DUM
Product name	Eaton Moeller® series DILM motor suppressor module
Part no.	DILM12-XMSM
EAN	4015081090020
Product Length/Depth	45 millimetre
Product height	47.7 millimetre
Product width	38.3 millimetre
Product weight	0.047 kilogram
Certifications	UL 508 UL File No.: E300273 UL Recognized UL Category Control No.: NMTR2 CE IEC/EN 60947-4-1
Product Tradename	DILM
Product Type	Accessory
Product Sub Type	Motor suppressor module
Catalog Notes	Insulated material, inflammable resistant according to UL 94.
	Tool-less version using tool-less plug connection
eneral information	
Accessory/spare part type	Other
Product category	Accessories
Туре	RC suppressor
limatic environmental conditions	
Ambient operating temperature - min	-25 °C
Ambient operating temperature - max	60 °C
esign verification	
Equipment heat dissipation, current-dependent Pvid	0 W
Heat dissipation capacity Pdiss	0 W
Heat dissipation per pole, current-dependent Pvid	0 W
Rated operational current for specified heat dissipation (In)	0 A
Static heat dissipation, non-current-dependent Pvs	0 W
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.

10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Technical data ETIM 9.0

Teelinical data Efficiency		
Low-voltage industrial components (EG000017) / Accessories/spare parts for low-voltage switch technology (EC002498) Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology (accessories) (ecl@ss13-27-37-13-92 [AKN570018])		
Accessory	Yes	
Spare part	No	