## Switch disconnector, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC



## EBH113TTS8

Product name	Eaton Bussmann series low voltage NH fuse base
Part no.	EBH113TTS8
EAN	5906739010646
Product Length/Depth	280 millimetre
Product height	170 millimetre
Product width	190 millimetre
Product weight	2960 gram
Compliances	CE
Certifications	IEC 60947-3 IEC/EN 60947-1
Product Tradename	None
Product Type	Low voltage NH fuse base
Product Sub Type	None
Amperage Rating	250 A
Voltage rating	690
Number of poles	Three-pole
Mounting method	60 mm busbar mounting 100 mm busbar mounting Mounting plate

## **Technical data ETIM 8.0**

Low-voltage industrial con	nponents (EG000017) / Fu	use switch disconnector (EC001040)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Off-load switch, circuit breaker, control switch / Fuse switch disconnector

Electric engineering, automation, process control engineering / Low-voltage swit (ecl@ss10.0.1-27-37-14-01 [AKF058013])	cn technology / C	Jπ-ioad sv	witch, circuit breaker, control switch / Fuse switch disconnector
Version as main switch			No
Version as safety switch			No
Max. rated operation voltage Ue AC		V	690
Rated permanent current lu		Α	250
Rated operation power at AC-23, 400 V		kW	0.1
Conditioned rated short-circuit current Iq		kA	0.08
Rated short-time withstand current lcw		kA	80
Suitable for fuses			NH1
Number of poles			3
With error protection			No
Type of electrical connection of main circuit			Cable clamp
Cable entry			Other
Equipped with connectors			No
Suitable for floor mounting			No
Suitable for front mounting			No
Suitable for busbar mounting			Yes
Type of control element			Cover grip
Position control element			Front side
Motor drive optional			No
Motor drive integrated			No
Version as emergency stop installation			No
Degree of protection (IP), front side			IP30