

Fuse-link, low voltage, 1000 A, AC 550 V, BS88, BS, IEC



GG1000

Product name	Eaton Bussmann series low voltage British standard fuse
Part no.	GG1000
EAN	5027590022125
Product Length/Depth	285 millimetre
Product height	122 millimetre
Product width	128 millimetre
Product weight	2767 gram
Compliances	RoHS Compliant
Product Tradename	None
Product Type	Low voltage British standard fuse
Product Sub Type	None
Amperage Rating	1000 A
Voltage rating	550 V
Voltage type	AC
Breaking capacity	80 kA
Application	motor protection
Fuse type	GG
Fitted with:	Centre bolted tags
Connection	167/231 mm fixing centre

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)				
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])				
Fuse construction type according to IEC 60269			Other	
Type of current			AC	
Rated voltage AC		V	550	
Rated voltage DC		V		
Rated current		Α	1,000	
Utilization category			gL/gG (cable protection/equipment protection)	
Breaking capacity		kA	80	
Colour code			None	
Type of fuse status indicator			None	
Power loss at rated current		W	69	
Mounting holes			M10	
Centre-to-centre distance of connections		mm	228.5	