

## STD32

Product name		Eaton Bussmann series low voltage British standard fuse
Part no.		STD32
EAN		5027590512633
Product Length/Depth		47 millimetre
Product height		12 millimetre
Product width		13 millimetre
Product weight		11 gram
Compliances		CE Marked RoHS Compliant
Certifications		EAC BS88 IEC 60269
Product Tradename		None
Product Type		Low voltage British standard fuse
Product Sub Type		None
Amperage Rating		32 A
Voltage rating		240 V
Voltage type		AC
Breaking capacity		33 kA
Class		Class gG/gL
Application		street lighting cut-outs
Fuse type		STD
Fitted with:		Offset bolted tags
Connection		Bolt-on

## Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])		
Fuse construction type according to IEC 60269		Other
Type of current		AC
Rated voltage AC	V	240
Rated voltage DC	V	
Rated current	A	32
Utilization category		gL/gG (cable protection/equipment protection)
Breaking capacity	kA	33
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	2.4
Mounting holes		Other
Centre-to-centre distance of connections	mm	35