Fuse-link, low voltage, 35 A, AC 660 V, DC 460 V, BS88, 27 x 129 mm, gL/gG, BS



TBC35

Product name	Eaton Bussmann series low voltage British standard fuse
Part no.	TBC35
EAN	5027590513135
Product Length/Depth	27 millimetre
Product height	27 millimetre
Product width	129 millimetre
Product weight	89.9 gram
Compliances	RoHS Compliant CE Marked
Certifications	IEC 60269 EAC BS88
Product Tradename	None
Product Type	Low voltage British standard fuse
Product Sub Type	None
Amperage Rating	35 A
Voltage rating	660 V
Voltage type	AC/DC
Breaking capacity	80 kA
Class	Class gG/gL
Application	general industrial applications
Fuse type	TBC
Fitted with:	Centre bolted tags
Connection	111 mm fixing centre

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)				
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])				
Fuse construction type according to IEC 60269			Other	
Type of current			AC/DC	
Rated voltage AC		V	660	
Rated voltage DC		V	460	
Rated current		Α	35	
Utilization category			gL/gG (cable protection/equipment protection)	
Breaking capacity		kA	80	
Colour code			None	
Type of fuse status indicator			None	
Power loss at rated current		W		
Mounting holes			M8	
Centre-to-centre distance of connections		mm	111	