## **DATASHEET - S2-KLV**



Socket outlet 2-position; with EURO2 adapter; with plug-in units; without input wiring



Part no. S2-KLV Catalog No. 178971

## **Delivery program**

Product image	
Basic function	Accessory consideration
Accessories	KLV
Product range	KLV media DBO

## Technical data ETIM 7.0

Technical data ETIM 7.0	
Domestic switching devices (EG000013) / Socket outlet (EC000125)	
Electric engineering, automation, process control engineering / Electrical installation, d	levice / Installation switch set / Plug socket (ecl@ss10.0.1-27-14-40-42 [AKE352014])
Model	Protective contact (SCHUKO)
Protective contact	Yes
Protective earth pin round	No
Number of active Pins (round)	2
Number of active Pins (flat)	0
With signal lamp	No
With built-in USB power supply	No
Number of units	2
Number of modules (module system)	2
Number of socket outlets switchable	2
Number of phases	2
Imprint/indication	Without imprint
Connection type	Plug clamp
With hinged lid	No
With child-protection	Yes
Label space/information surface	No
Colour	White
RAL-number (akin)	9010
Transparent	No
Lockable	No
Eject-mechanism	No
Insulated mounting	Yes
With function lighting	No
With orientation lighting	No
Over voltage protection	No
Fault current protection	No
With miniature fuse	No
Special power supply	Other
Mounting method	Other
Type of fastening	Mounting with screw
Material	Plastic
Material quality	Thermoplastic
Halogen free	Yes
Surface protection	Other

Surface finishing		Glossy
Antibacterial treatment		No
With on/off switch		No
With loop through function		Yes
Rotated central insert		No
Nominal current	А	16
Nominal voltage	V	230
Frequency	Hz	50 - 50
Rated fault current	mA	0
Suitable for degree of protection (IP)		IP00
For heavy conditions (in accordance with VDE)		No
Impact strength		Other
Width of device	mm	104
Height of device	mm	48
Depth of device	mm	65
Min. depth of built-in installation box	mm	36

## Additional product information (links)

Product overview (Web)	http://www.eaton.eu/DE/Europe/Electrical/ProductsServices/Residential/index.htm