## Insulating surround, for NZM4

Part no. NZM4-XBR

284646 4359015

EL Number (Norway)



General specifications		
Product name	Eaton Moeller series NZM operating element accessory	
Part no.	NZM4-XBR	
EAN	4015082846466	
Product Length/Depth	17.5 millimetre	
Product height	154 millimetre	
Product width	262.5 millimetre	
Product weight	0.157 kilogram	
Compliances	IEC	
	UL/CSA RoHS conform	
Certifications	UL (Category Control Number DIHS) CSA (File No. 22086) IEC60947 CE marking UL listed CSA certified CSA-C22.2 No. 5-09 UL (File No. E140305) UL489 CSA (Class No. 1437-01)	
Product Tradename	NZM	
Product Type	Accessories	
Product Sub Type	Operating element accessory	
Delivery program		
Туре	Accessory Insulating surrounds	
Special features	For toggle lever	
Frame	NZM4	
Used with	N(S)4(-4) NZM4(-4)	
Technical Data - Mechanical		
Color	Black	
Material	Plastic	
Degree of protection	IP40	
Special features	For toggle lever	
Design verification as per IEC/EN 61439		
10.2.2 Corrosion resistance	Meets the product standard's requirements.	
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.	
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.	
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.	
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.	
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.	
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.	
10.2.7 Inscriptions	Meets the product standard's requirements.	
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.	
10.3 Degree of protection of assemblies  10.4 Clearances and creepage distances	Meets the product standard's requirements.	
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.	
	Does not apply, since the entire switchgear needs to be evaluated.	
10.6 Incorporation of switching devices and components		
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.	
10.8 Connections for external conductors	Is the panel builder's responsibility.	
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.	
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.	

10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## **Technical data ETIM 9.0**

Distribution boards (EG000023) / Cover for distribution board (EC000775)

Electric engineering, automation, process control engineering / Electrical installation, device / Electrical distribution system (including small distribution board) / Cover for distribution board (ecl@ss13-27-14-24-14 [ACN397016])

Height mm 154	
Width mm 262.5	
Depth mm 17.5	
Number of rows	
Material Plastic	
Hinging	
Quick locking No	
Degree of protection (IP)	
Colour	
Transparent No	