



**Fuse holder, low voltage, 32 A, AC 550 V, BS88/F1, 1P, BS, bolted panel or DIN rail mounting, front connected/front connected, green**



**Part no. 32A 550V UNIT GREEN**  
**Catalog No. 32NNSFGREEN**

## Delivery program

|                              |   |   |   |
|------------------------------|---|---|---|
| Product range                |   |   | Fuse accessory  |
| Basic function               |   |   | Fuse-holder   |
| Field of application         |   |   | low voltage   |
| Rated current                | I | A | 32  |
| Rated voltage                |   |   | AC 550 V  |
| Construction size            |   |   | BS88/F1   |
| Description                  |   |   | bolted panel or DIN rail mounting<br>front connected/front connected<br>green |
| Number of poles              |   |   | 1P  |
| usable for size/applications |   |   | fuse-link NSD   |
| Standard/Approval            |   |   | BS  |
| Standards/Regulations        |   |   | BS88<br>IEC 60269   |

## Technical data ETIM 7.0

|  |  |   |       |
|--|--|---|-------|
| Circuit breakers and fuses (EG000020) / Low Voltage HRC fuse base (EC000067)   |  |   |       |
| Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse systems / Low-Voltage HRC fuse base (ecl@ss10.0.1-27-14-21-06 [AKE278013]) |  |   |       |
| Construction size  |  |   | Other |
| Number of poles  |  |   | 1     |
| Rated current  |  | A | 32    |
| Bus-mounting type  |  |   | Yes   |
| Swivelling mechanism   |  |   | No    |

## Additional product information (links)

|                         |   |
|-------------------------|---|
| Product datasheet (pdf) | <a href="http://www1.cooperbusmann.com/pdf/8addaa41-59bf-419a-a873-133ae27d8857.pdf">http://www1.cooperbusmann.com/pdf/8addaa41-59bf-419a-a873-133ae27d8857.pdf</a> |
|-------------------------|---|