## Switch disconnector, low voltage, 250 A, AC 690 V, NH1, AC23B, 3P, IEC



## EBH103TSV

Product name	Eaton Bussmann series low voltage NH fuse base
Part no.	EBH103TSV
EAN	5906739012343
Product Length/Depth	270 millimetre
Product height	130 millimetre
Product width	185 millimetre
Product weight	2380 gram
Compliances	CE
Certifications	IEC/EN 60947-1 IEC 60947-3
Product Tradename	None
Product Type	Low voltage NH fuse base
Product Sub Type	None
Amperage Rating	250 A
Voltage rating	690
Number of poles	Three-pole
Mounting method	60 mm busbar mounting 100 mm busbar mounting Mounting plate

## **Technical data ETIM 8.0**

Low-voltage industrial	l components (EG	G000017) / Fuse swi	itch disconnector	(EC001040)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Off-load switch, circuit breaker, control switch / Fuse switch disconnector

Electric engineering, automation, process control engineering / Low-voltage switch technology / Off-load switch, circuit breaker, control switch / Fuse switch disconnector (ecl@ss10.0.1-27-37-14-01 [AKF058013])					
Version as main switch			No		
Version as safety switch			No		
Max. rated operation voltage Ue AC	,	V	690		
Rated permanent current lu		Α	250		
Rated operation power at AC-23, 400 V		kW	0.1		
Conditioned rated short-circuit current Iq		kA	0.08		
Rated short-time withstand current lcw		kA	80		
Suitable for fuses			NH1		
Number of poles			3		
With error protection			No		
Type of electrical connection of main circuit			Cable clamp		
Cable entry			Other		
Equipped with connectors			No		
Suitable for floor mounting			No		
Suitable for front mounting			Yes		
Suitable for busbar mounting			No		
Type of control element			Cover grip		
Position control element			Front side		
Motor drive optional			No		
Motor drive integrated			No		
Version as emergency stop installation			No		
Degree of protection (IP), front side			IP30		