DATASHEET - HDILE

Sealable shroud, transparent

Part no.	HDILE
	010482
EL Number	4130401
(Norway)	



General specifications	
Product name	Eaton Moeller® series DILE Accessory Sealable shroud
Part no.	HDILE
EAN	4015080104827
Product Length/Depth	23 millimetre
Product height	55 millimetre
Product width	45 millimetre
Product weight	0.007 kilogram
Certifications	UL/CSA certification not required
Product Tradename	DILE
Product Type	Accessory
Product Sub Type	Sealable shroud
Catalog Notes	Transparent
Features & Functions	
Functions	For open use or in service distribution system Can be drilled to accommodate timing relay setting dials
General information	
Accessory/spare part type	Cover
Degree of protection (front side)	IP40
Mounting method	Snap fitting
Product category	Accessories
Climatic environmental conditions	
Ambient operating temperature - min	-25 °C
Ambient operating temperature - max	50 °C
Design verification	
Equipment heat dissipation, current-dependent Pvid	0 W
Heat dissipation capacity Pdiss	0 W
Heat dissipation per pole, current-dependent Pvid	0 W
Rated operational current for specified heat dissipation (In)	0 A
Static heat dissipation, non-current-dependent Pvs	0 W
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	Not applicable.

10.12 Electromagnetic compatibility Is the panel builder's responsibility observed.	lity. The specifications for the switchgear must be
10.13 Mechanical function The device meets the requirement leaflet (IL) is observed.	ents, provided the information in the instruction

Technical data ETIM 9.0

Low-voltage industrial components (EG000017) / Accessories/spare parts for low-voltage switch technology (EC002498)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Compo