



Side wall, for cabling box, H=500mm

**Part no.** SWRL50-ID  
**Catalog No.** 017914

### Delivery program

Product range			Ci insulated enclosures
Basic function			Distribution board assembly
Product function			Accessories
Accessories			Cable compartment cladding Enclosure side plates
Function			Cover for external sides
Description			Can be fitted to left or right
Suitable for height			500 mm
<b>Notes</b>			
Additional accessories → #095750			

### Technical data ETIM 7.0

Cabinet enclosures (EG000011) / Base/base element (switchgear cabinet) (EC000721)			
Electric engineering, automation, process control engineering / Electrical cabinet, housing, rack / Base/plinth (electrical cabinet) / Base/base element (enclosure) (ec@ss10.0.1-27-18-20-03 [ACN612011])			
Model			Base side set
Material			Plastic
Colour			Grey
Max. load capacity		kg	0
Width		mm	0
Height		mm	500
Depth		mm	300
Suitable for enclosure building width		mm	0
Suitable for enclosure building depth		mm	300
Suitable for aeration/de-aeration			No
Suitable for outdoor set-up			Yes
Suitable for cable patch			No

### Additional product information (links)

allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Renderit	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;model%20certification%20xEnergy%20Safety%20Ci">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;model certification xEnergy Safety Ci</a>
allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Renderit	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;Save%20time%20-%20we%20assist%20you%20with%20expert%20pre-assembly">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;Save time – we assist you with expert pre-assembly</a>
allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Renderit	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;product%20information%20xEnergy%20Safety%20Ci">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;product information xEnergy Safety Ci</a>
tool for calculating the power loss for switching device combinations	<a href="http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/TCTool/index.htm">http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/TCTool/index.htm</a>
configurator - xEnergy family	<a href="http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/xEnergyMainSupport/index.htm">http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/xEnergyMainSupport/index.htm</a>